

COACH SPECIFICATIONS

COACH DIMENSIONS (INCHES)

	23½' REAR LOUNGE	23½' TWIN-KING BED	23½' FRONT DINETTE	23½' FRONT LOUNGE	26½' REAR KITCHEN	26½' MID BATH	26½' REAR BATH	30' ISLAND BED	30' TWIN BED
Bumper to bumper coach length. Add 2" for the rear exterior spare tire cover and an additional 2" for the rear roof rack ladder.	281	281	281	281	319	319	319	368	368
Interior height from floor to ceiling (excluding carpet).	79	79	79	79	79	79	79	79	79
Cab-over mattress dimensions.	57X80	57X80	57X80	57X80	57X80	57X80	57X80		
All Dinettes can furnish an eating area for up to 4. The following dinettes can also make into a compact bed.			27.7X70.7		39X67.5	39X67	39X72.5		
Individual twin bed sizes for models when equipped with twin sofas. The twin sofas can be brought completely together, to create an oversize king bed. D = Drivers side. P = Passenger side.		D36X 71 P32X 74			D34X 76 P32X 72	D32 X 71 P36X 76	D34 X 76 P32 X 72		
Sofa double bed sizes.	50X74		50X73	50X73	50X76	50X76	50X76	50X76	50X76
Permanent bed size.								57X78	D34 X 76 P34 X 74.5
Total average wardrobe hanging space width.	30½	30½	33	33	45	38	40	44	41

COACH MISCELLANEOUS SPECIFICATIONS

Total interior recessed fluorescent light fixtures in each floor plan.	4	4	4	4	5	5	5	7	7
Total number of interior incandescent and halogen light fixtures in each floor plan.	9	9	9	9	11	10	11	10	11
Total number drawers.	7	7	8	7	8	7	7	11	11
Number of 120V duplex receptacles (including exterior).	5	5	5	5	5	7	5	6	6
Number of roof vents (includes escape hatch above cab-over).	3	3	3	3	4	4	4	5	5
Total outside storage compartments. Delete one compartment on the 26½' Rear Kitchen, 26½' Mid-Bath, and 26½' Rear Bath when equipped with barrel chairs.	2	3	2	2	5	6	5	7	7
Amp hours produced by the two 6V coach batteries.	220	220	220	220	220	220	220	220	220

COACH WEIGHTS WITH FORD V-10

G.V.W.R. (Gross Vehicle Weight Rating). Maximum designed motorhome weight when "Fully Loaded".	14,050	14,050	14,050	14,050	14,050	14,050	14,050	14,050	14,050
E.W. (Empty Weight of Motorhome). No fuels, liquids, supplies or people. (Includes all standard equipment such as generator, etc.) Weights are estimated on some models.	9,965	9,970	9,935	9,950	10,730	10,715	10,650	11,790	11,813
U.V.W. – (Unloaded Vehicle Weight). The weight of the motorhome as built at the factory with full fuel, oil, and coolant. Weights are estimated on some models.	10,295	10,300	10,265	10,280	11,060	11,045	10,980	12,120	12,143
W.W.V. – (Wet Weight of Vehicle) No Passengers or supplies. Gas tank, fresh water tank, and LP-Gas tank all full. Weights are estimated on some models.	10,744	10,749	10,797	10,812	11,617	11,585	11,537	12,677	12,700
Total number of designated sleeping positions. Delete two sleeping positions when equipped with the optional entertainment center.	4	4	5	4	6	6	6	4	4
S.C.W.R. – (Sleeping Capacity Weight Rating) The number of sleeping positions designated for each specified floor plan model multiplied by 154 lbs. per person.	616	616	770	616	924	924	924	616	616
C.C.C. – (Cargo Carrying Capacity) Allowable weight available for food, personal items and supplies. Gas tank, fresh water tank and LP-Gas tank are all full. All sleeping positions occupied. NOTE: Installed accessories and towed vehicle tongue weight will reduce C.C.C.	*2,690	*2,685	*2,483	*2,622	*1,509	*1,541	*1,589	*757	*734
G.C.W.R. (Gross Combination Weight Rating). Maximum allowable combined weight of "loaded" motorhome and either "loaded tow vehicle or trailer. NOTE: These specifications exceed our coach standard equipped trailer hitch rating.	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000

* This calculation is based on a maximum loaded coach scenario as described in the C.C.C. Your actual carrying capacity will increase with fewer occupants and a reduced carried quantity of fresh water.

DUE TO CHANGES BY VENDORS COMPONENTS MAY VARY.
PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE AT ANYTIME WITHOUT PRIOR NOTIFICATION.